

Series 4, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, Inox-look KGV33VLEAG



The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- **LED lights** bring a completely new lighting concept to fridges
- **Big Box drawer:** for stacking storage containers or for large frozen food items.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.

Technical Data

Energy Efficiency Class:	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	228 kWh/annum
Sum of volume of frozen compartments:	94 l
Sum of volume of chill compartments:	195 l
Airborne acoustical noise emissions :	39 dB(A) re 1 pW
Airborne acoustical noise emission class:	C
Installation type:	Freestanding
Door panel options:	Not possible
Height:	1760 mm
Width of the appliance:	600 mm
Depth of the product:	650 mm
Net weight:	65.2 kg
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length of electrical supply cord:	240.0 cm
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment (Stck):	2
Shelves for Bottles:	Yes
Frost free system:	No
Installation type:	Free-standing

Optional accessories

- KSZ10010 Snackbox
- KSZ10030 Bottle Rack



Series 4, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, Inox-look KGV33VLEAG

The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.

- Total Volume : 289 l
- Net Fridge Volume : 195 l
- Net Freezer Volume : 94 l
- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 228 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 17 H

-
- KGV33VLEAG
 - Fridge freezer
 - Cambered door, High-door design Stainless steel look

Functions

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Plastic Integrated vertical handle
- Bright interior LED fridge light in fridge section

Design features

- LED electronic control
- SuperFreezing function with automatic deactivation

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Automatic defrost fridge
- 3 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 176 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Additional features


Design features

Dimension and installation

Performance and Consumption

- EU19_EEK_D: E

**Series 4, Free-standing fridge-freezer
with freezer at bottom, 176 x 60 cm,
Inox-look
KGV33VLEAG**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification

a Height
b Width
c Depth with door closed, without handle and without flexible spacing piece
d Cabinet depth without flexible spacing piece
e Width with door opened to 90°
f Depth with door opened, without handle and without flexible spacing piece
g Depth with door closed, with handle and without flexible spacing piece
h Depth with door closed, without handle and with flexible spacing piece

measurements in mm