

Serie | 4, Free-standing dishwasher, 60 cm, Stainless steel, lacquered SGS4HCI40G



Easy loading of your dishes and an option for extra-thoroughly dry dishes with just one push of a button.

- **ExtraDry:** extra drying option for difficult-to-dry loads.
- **Flex baskets:** flexible and practical solution for easy loading.
- **VarioDrawer:** 3rd level loading for cutlery and smaller kitchen utensils.
- **Favourite function:** personalised function by just one touch.
- **Silence Plus:** the remarkably quiet 44 dB dishwasher

Technical Data

Energy Efficiency Class: D

Energy Consumption for 100 cycles Eco Programme: 85 kWh

Maximum number of place settings: 14

The water consumption of the eco programme in liters per cycle: 9.5 l

Programme duration: 4:55 h

Airborne acoustical noise emissions : 44 dB(A) re 1 pW

Airborne acoustical noise emission class: B

Construction type: Free-standing

Height of removable worktop: 30 mm

Dimensions of the product (HxWxD): 845 x 600 x 600 mm

Approval certificates: CE, VDE

Depth with open door 90 degree: 1155 mm

Adjustable feet: Yes - all

Maximum adjustability feet: 20 mm

Adjustable plinth: No

Net weight: 51.2 kg

Gross weight: 53.5 kg

Connection rating: 2400 W

Fuse protection: 10 A

Voltage: 220-240 V

Frequency: 50; 60 Hz

Length of electrical supply cord: 175 cm

Plug type: GB plug

Length inlet hose: 165 cm

Length outlet hose: 190 cm

EAN code: 4242005324064

Installation type: Built-under

Optional accessories

SGZ1010 : inlet and outlet hose extention

SMZ5100 : Vario-cutlery basket



Serie | 4, Free-standing dishwasher, 60 cm, Stainless steel, lacquered SGS4HCI40G

**Easy loading of your dishes and an option
for extra-thoroughly dry dishes with just one
push of a button.**

New for 2021

Performance

- Energy Efficiency Class¹: D
- Energy² / Water³: 85 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 4:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 41 dB(A) re 1 pW

Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65°, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 3 special options: Extra Dry, Half Load, SpeedPerfect+
- Machine Care

Flexible design elements

- Flex basket system
- VarioDrawer - loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf

Innovations and technology

- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- Aqua and loading sensor
- AquaMix - Glass protection system

Design features

- Time delay (3, 6 or 24 hours)
- Remaining programme time indicator (min)
- Leak protection system
- Tamperproof controls
- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head
- Stainless steel interior
- Dimensions (HxWxD): 84.5 x 60 x 60cm

¹ Scale of Energy Efficiency Classes from A to G


² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

**Serie | 4, Free-standing dishwasher, 60 cm,
Stainless steel, lacquered
SGS4HCI40G**

measurements in mm



△ socket
○ values with extension kit